



Studio sound comes home

The 706 is a bookshelf/standmount speaker with the acoustic heft to satisfy the demands of bigger rooms, thanks to its large midrange/bass drive unit. The speaker provides real musical insight into recordings, with details and spaciousness preserved intact.

Technical Specifications

Description	2-way vented-box system
Technical features	Decoupled Carbon Dome™ tweeter Continuum™ cone bass/midrange Flowport™
Drive units	1x ø25mm (1 in) Decoupled Carbon Dome high-frequency 1x ø165mm (6.5 in) Continuum cone bass/midrange
Frequency range (-6dB)	-6dB at 45Hz and 33kHz
Frequency Response -3dB	50Hz - 28kHz ±3dB
Sensitivity	88dB spl (2.83V _{RMS} , 1m)
Harmonic distortion	2nd and 3rd harmonics (90dB, 1m) <1% 100Hz - 22kHz <0.5% 150Hz - 20kHz
Nominal impedance	8Ω (minimum 3.7Ω)
Recommended amplifier power	30W - 120W into 8Ω on unclipped programme
Dimensions	Height: 340mm (13.4 in) cabinet only Width: 200mm (7.8 in) Depth: 285mm (11.2 in) cabinet only 301mm (11.9 in) including grille and terminals
Net weight	8.0kg (17.7 lb)
Finishes	Cabinet: Rosenut Gloss Black Satin White Grille: Black Grey (Satin White only)





